

THE BAR HAS BEEN RAISED, AGAIN

The vehicle that defined a category now redefines what a compact sport-utility vehicle can be. Introducing the completely reimagined Honda CR-V: delivering a wealth of standard features and driver and passenger conveniences. Welcome to the new standard in comfort, style and versatility.









PERSONALIZED COMFORT

Every surface, every contour, and every feature has been thoughtfully designed to create a truly superior driving experience in every sense. The new CR-V brings together an impressive collection of features and conveniences, all designed with you in mind.

DISPLAY AUDIO TOUCH SCREEN 1,2

This amazing touch panel gives you access to your audio system's controls, equalizer, USB Audio Interface and Bluetooth Hands Free Link, and can also be operated by the steering wheel-mounted controls (RVSi models).

ELECTRIC PARKING BRAKE (EPB)

Simply flip back the small lever next to the shifter to engage, reducing the effort it takes to apply the parking brake and freeing up space on the center console.

REAR USB PORTS²

Keep your passengers powered up for whatever comes next with dual 2.5-amp USB charging ports in the second row (RVSi models).

DUAL-ZONE AUTOMATIC CLIMATE CONTROL

With available Dual-Zone Automatic Climate Control, it's easy to keep everyone comfortable whenever you and your passengers are out and about.





EXCELLENCE IN

The new CR-V delivers more comforts and conveniences than ever, from an available leather-trimmed interior to EVERY DETAIL a panoramic roof (RVSi models). Because design that enhances is the Honda way.

POWER TAILGATE WITH PROGRAMMABLE HEIGHT

The Power Tailgate easily opens and closes with the push of a button, and with the tailgate height-adjustability feature, it's customizable for drivers of all sizes (RVSi models).

EASY FOLD-DOWN 60/40 SPLIT REAR SEAT

A rear seat that folds down in one motion means flatter, longer cargo space than ever before. Now you can carry more or make even bigger plans.

MORE ROOM FOR WHAT MATTERS

Generous cargo space becomes even roomier with a fold-flat second row. Whether you're running errands or roaming across the country, the CR-V has room to spare.*

COMMUTE WITH CONFIDENCE

Safety is always a priority for Honda. That is why every CR-V comes equipped with standard safety features designed to keep you and your loved ones comfortable and protected at all times.

BACK-UP SENSORS

Sensors on the rear bumper of the CR-V can detect vehicles approaching from either side when backing up. The driver is alerted by an audible chime and arrows in the rearview camera display.

HONDA LANEWATCH³

Check Your Surroundings

Signal right and a small camera displays live video on your display audio screen, revealing nearly four times more than the passenger-side mirror alone.

MULTI-ANGLE REARVIEW CAMERA⁴


Backing up doesn't have to be a guessing game. See more of what's behind you with the Multi-Angle Rearview Camera with dynamic guidelines.

ACE BODY STRUCTURE (ACE)

The ACE body structure is a Honda-exclusive body design that enhances occupant protection and crash compatibility in frontal collisions.











COLORS



ACCESSORIES



ENGINE	RVi	RVSi
ENGINE TYPE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
TURBO		
ENGINE BLOCK / CYLINDER HEAD	ALUMINUM- ALLOY	ALUMINUM- ALLOY
DISPLACEMENT (LITERS / CC)	1.5 / 1498	1.5 / 1498
HORSEPOWER @ RPM	188 @ 5600	188 @ 5600
TORQUE (LB-FT @ RPM)	177 @ 2000 - 5000	177 @ 2000 - 5000
BORE AND STROKE (MM)	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.3:1	10.3:1
VALVE TRAIN	16-VALVE DOHC VTEC	16-VALVE DOHC VTEC
DIRECT FUEL INJECTION		-
DRIVE-BY-WIRE THROTTLE SYSTEM		
ECO ASSIST SYSTEM	-	-
ELECTRIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD		-
ACTIVE NOISE CANCELLATION (ANC)		
HILL START ASSIST (HSA)		
AGILE HANDLE ASSIST (AHA)		-
REAL TIME AWD WITH INTELLIGENT CONTROL SYSTEM	AVAILABLE	AVAILABLE
AWD TORQUE DISTRIBUTION MONITOR	-	AVAILABLE
DIRECT IGNITION SYSTEM WITH IMMOBILIZER	-	•
REMOTE ENGINE START	-	
TRANSMISSION		
TRANSMISSION	_	_
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)		
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS		_
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION	:	:
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS		
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION		
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED	:	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	:	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK	2.30	2.30
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO	2.30 12.30:1	2.30
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC /	2.30 12.30:1 11.40	2.30 12.30:1 11.40
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR)	2.30 12.30:1 11.40 315/310	2.30 12.30:1 11.40 315/310
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE	2.30 12.30:1 11.40 315/310 17" 235/65	2.30 12.30:1 11.40 315/310 18* 235/60
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18* 235/60 R18103H
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18* 235/60 R18103H
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18° 235/60 R18103H
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18° 235/60 R18103H
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18° 235/60 R18103H 2660 4571 1657/1667
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667 1855	2.30 12.30:1 11.40 315/310 18* 235/60 R18 103H 2660 4571 1657/1667 1855 1601/1617
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD])	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613]	2.30 12.30:1 11.40 315/310 18* 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613]
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING BATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD]) GROUND CLEARANCE (MM, UNLADEN) (2WD / AWD)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613]	2.30 12.30:1 11.40 315/310 18* 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208
CONTINUOUSLY VARIABLE TRANSMISSION (CVT) BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION MACPHERSON STRUT FRONT SUSPENSION MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING BOLD BOLD WITH THE STEERING (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD]) GROUND CLEARANCE (MM, UNLADEN) (2WD / AWD) CURB WEIGHT (KG, 2WD) [WITH LEATHER]	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 1529	2.30 12.30:1 11.40 315/310 18* 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 [1573]

	RVi	RVSi
HEADROOM (MM, FRONT / REAR)	1018 / 996	961 / 974
LEGROOM (MM, FRONT / REAR)	1050 / 1025	1050 / 1025
SHOULDER ROOM (MM, FRONT / REAR)	1470 / 1412	1470 / 1412
HIPROOM (MM, FRONT / REAR)	1400 / 1257	1400 / 1257
CARGO VOLUME (M³ / LITERS)	0.99 / 994	0.99 / 994
PASSENGER VOLUME (M ³ / LITERS)	2.99 / 2999	2.88 / 2877
SEATING CAPACITY	5	5
FUEL & CAPACITY		
FUEL (LITERS)	57	57
REQUIRED FUEL	REGULAR UNLEADED	REGULAR UNLEADED
SAFETY		
VEHICLE STABILITY ASSIST (VSA) WITH TRACTION CONTROL		
ANTI-LOCK BRAKING SYSTEM (ABS)		
ELECTRONIC BRAKE DISTRIBUTION (EBD) WITH BRAKE ASSIST		-
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES		
DRIVER ATTENTION MONITOR		
LED DAYTIME RUNNING LIGHTS (DRL)	-	-
ADVANCED COMPATIBILITY ENGINEERING	-	-
(ACE) BODY STRUCTURE	•	-
FRONT AIRBAGS (SRS)		-
FRONT SIDE AIRBAGS	-	AVAILABLE
SIDE CURTAIN AIRBAGS	-	AVAILABLE
3-POINT SEAT BELTS AT ALL SEATING POSITIONS		-
FRONT 3-POINT SEAT BELTS WITH AUTOMATIC TENSIONING SYSTEM		-
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH): LOWERS ANCHORS (2ND-ROW OUTBOARD), TETHER ANCHORS (2ND-ROW OUTBOARD)		•
DRIVER'S AND FRONT PASSENGER'S SEAT BELT REMINDER		
CHILD-PROOF REAR DOOR LOCKS		
EXTERIOR FEATURES		
ONE-TOUCH POWER PANORAMIC ROOF WITH TILT FEATURE	_	
FIN-TYPE ROOF-MOUNTED ANTENNA		
SMART ENTRY SYSTEM	-	
SECURITY SYSTEM		
REMOTE ENTRY		
POWER TAILGATE WITH PROGRAMMABLE HEIGHT	_	
PROJECTOR-BEAM HALOGEN HEADLIGHTS WITH AUTO-OFF		LED WITH AUTO-ON / OFF
FOG LIGHTS		LED
ONE-TOUCH TURN INDICATORS		
BODY-COLORED POWER SIDE MIRRORS	_	_
WITH INTEGRATED TURN INDICATORS POWER FOLDING SIDE MIRRORS	-	-
	-	-
VARIABLE INTERMITTENT WINDSHIELD WIPERS	-	-
REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER	•	-
BODY-COLORED DOOR HANDLES	-	-
BODY-COLORED ROOFLINE SPOILER WITH INTEGRATED BRAKE LIGHT	-	-
PARKING SENSORS	REAR	FRONT AND REA

COMFORT & CONVENIENCE	RVi	RVSi
DUAL-ZONE AUTOMATIC CLIMATE CONTROL SYSTEM		-
HONDA LANEWATCH	-	AVAILABLE
PUSH BUTTON START	-	-
POWER WINDOWS WITH AUTO-UP / DOWN FOR DRIVER'S WINDOW		-
POWER DOOR AND TAILGATE LOCKS WITH WALK-AWAY AUTO-LOCK FEATURE	-	-
CRUISE CONTROL		-
INSTRUMENT PANEL-MOUNTED SHIFTER		-
TILT AND TELESCOPIC STEERING COLUMN		-
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB		-
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS		-
MULTI-FUNCTIONAL CENTER CONSOLE STORAGE WITH SLIDING ARMREST		-
BEVERAGE HOLDERS (FRONT / REAR)		-
GLOVE COMPARTMENT		-
DOOR-POCKET STORAGE BINS (FRONT / REAR)		-
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKETS		-
SUNGLASSES HOLDER		-
MAP LIGHTS		-
AMBIENT LIGHTING		-
REAR-SEAT CENTER ARMREST		-
DRIVER-SIDE GARMENT HOOK		-
REMOTE FUEL FILLER DOOR RELEASE		-
REAR WINDOW DEFROSTER		-
REAR-SEAT HEATER DUCTS		-
12-VOLT POWER OUTLETS (FRONT AND CENTER CONSOLE)		-
CARGO AREA TIE-DOWN ANCHORS		-
CARGO AREA LIGHT		

SEATING	RVi	RVSi
DRIVER'S SEAT WITH 12-WAY POWER ADJUSTMENT, INCLUDING 4-WAY POWER LUMBAR SUPPORT	-	AVAILABLE
LEATHER-TRIMMED SEATS	-	AVAILABLE
ADJUSTABLE FRONT SEAT-BELT ANCHORS	-	-
HEAD RESTRAINTS AT ALL SEATING POSITIONS	-	-
FOLD-DOWN REAR SEATBACK (60 / 40 SPLIT)	-	-
AUDIO CONNECTIVITY		
160-WATT AUDIO SYSTEM WITH 4 SPEAKERS		-
5-INCH COLOR LCD SCREEN	-	-
180-WATT AUDIO SYSTEM WITH 8 SPEAKERS	-	-
7-INCH DISPLAY AUDIO TOUCH SCREEN	-	-
REAR USB PORTS	-	2.5 A
BLUETOOTH HANDS FREE LINK	-	-
BLUETOOTH STREAMING AUDIO	-	-
USB AUDIO INTERFACE IN CENTER CONSOLE	1.0 A	1.0 A AND 1.5 A
SPEED-SENSITIVE VOLUME CONTROL (SVC)		

¹The Hands Free Link interface is only compatible with phones equipped with Bluetooth and hands-free capability. For information on phone makers and models compatible with this system, see your Honda dealer. ²The USB Audio Interface is used to connect directly to and control today's digital audio players and other USB devices that store music files in MP3, WMA or AAC formats. Some USB devices with security software and rights-protected digital files may not work. See your Honda dealer for further details. ³Display accuracy will vary based on weather, size of object and speed, and the display may not show all relevant traffic. The display is not a substitute for your own direct visual assessment of traffic conditions before changing lanes. ⁴Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle. Honda reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat. Always use seat belts and appropriate child seats. Specifications, features, illustrations and equipment shown are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc. reserves the right to make changes at any time without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all markets. Some Honda accessories may not comply with regional or national laws for retail. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner o

Honda Service Culture





Locate your Honda distributor by visiting: **hondalatincaribbean.com**Printed in the U.S.A. on recycled paper.
2017 American Honda Motor Co., Inc. 18M KU